

Certificate of Analysis



Customer Information

Client: Steding and Sons Mercantile
Attention: (737) 895-2303
Address: 1501 Panther Loop #7A
 Pflugerville, TX 78660

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: Invisible Electric Liquid
Lot Number: 300902
Description: Liquid botanical extract
Condition: Good
Job ID: ISO01409
Sample ID: I02373
Received: 11SEP2023
Completed: 20SEP2023
Issued: 20SEP2023

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 12SEP2023 | 0222

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	8.11	mg/mL	0.10	N/A
7-Hydroxymitragynine	Report Results	0.060	mg/mL	0.03	N/A
Paynantheine	Report Results	2.14	mg/mL	0.10	N/A
Speciogynine	Report Results	1.68	mg/mL	0.10	N/A
Speciociliatine	Report Results	2.93	mg/mL	0.10	N/A
Total Mitragyna Alkaloids	Report Results	14.9	mg/mL	0.10	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 12SEP2023 | 0222

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.705	w/w%	0.009	N/A
7-Hydroxymitragynine	Report Results	0.005	w/w%	0.002	N/A
Paynantheine	Report Results	0.186	w/w%	0.009	N/A
Speciogynine	Report Results	0.146	w/w%	0.009	N/A
Speciociliatine	Report Results	0.255	w/w%	0.009	N/A
Total Mitragyna Alkaloids	Report Results	1.30	w/w%	0.009	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 13SEP2023 | 1714

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 10	0.32	ug/day	0.25	PASS
Cadmium	NMT 4.1	0.070	ug/day	0.049	PASS
Lead	NMT 6.0	0.69	ug/day	0.049	PASS
Mercury	NMT 2.0	<LOQ	ug/day	0.049	PASS

Residual Solvents (GC-MS)

Method Code: T201

Tested: 20SEP2023 | 0041

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.400	PASS
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75.00	PASS
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.200	PASS
Benzene	NMT 2	<LOQ	ug/g	0.100	PASS
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.250	PASS
Methanol	NMT 3000	<LOQ	ug/g	150.0	PASS
Acetonitrile	NMT 410	80.44	ug/g	20.5	PASS
Dichloromethane	NMT 600	<LOQ	ug/g	30.0	PASS
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	93.5	PASS
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	93.5	PASS
Tetrahydrofuran	NMT 720	<LOQ	ug/g	36.0	PASS
Cyclohexane	NMT 3880	<LOQ	ug/g	194	PASS
Methylcyclohexane	NMT 1180	<LOQ	ug/g	59.0	PASS
1,4-Dioxane	NMT 380	<LOQ	ug/g	19.0	PASS
Toluene	NMT 890	<LOQ	ug/g	44.5	PASS
Chlorobenzene	NMT 360	<LOQ	ug/g	18.0	PASS
Ethylbenzene	NMT 2170	<LOQ	ug/g	109	PASS
o/p-Xylene	NMT 2170	<LOQ	ug/g	109	PASS
m-Xylene	NMT 2170	<LOQ	ug/g	109	PASS
Isopropylbenzene	NMT 70	<LOQ	ug/g	3.50	PASS
Hexane	NMT 290	<LOQ	ug/g	14.5	PASS
Nitromethane	NMT 50	<LOQ	ug/g	2.50	PASS
Chloroform	NMT 60	<LOQ	ug/g	3.00	PASS
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	5.00	PASS
Trichloroethene	NMT 80	<LOQ	ug/g	4.00	PASS
Pyridine	NMT 200	<LOQ	ug/g	10.0	PASS
2-Hexanone	NMT 50	<LOQ	ug/g	2.50	PASS
Tetralin	NMT 100	<LOQ	ug/g	5.00	PASS
Dimethylformamide	NMT 880	<LOQ	ug/g	44.0	PASS
Pentane	NMT 5000	<LOQ	ug/g	250	PASS
Ethanol	NMT 5000	576	ug/g	250	PASS
Diethyl Ether	NMT 5000	<LOQ	ug/g	250	PASS
Acetone	NMT 5000	<LOQ	ug/g	250	PASS
Ethyl Formate	NMT 5000	<LOQ	ug/g	250	PASS
Isopropanol	NMT 5000	<LOQ	ug/g	250	PASS
Methyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	250	PASS
1-Propanol	NMT 5000	<LOQ	ug/g	250	PASS
2-Butanone	NMT 5000	<LOQ	ug/g	250	PASS
Ethyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
2-Butanol	NMT 5000	<LOQ	ug/g	250	PASS
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	250	PASS
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
Heptane	NMT 5000	<LOQ	ug/g	250	PASS
1-Butanol	NMT 5000	<LOQ	ug/g	250	PASS
Propyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	250	PASS
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	250	PASS
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
1-Pentanol	NMT 5000	<LOQ	ug/g	250	PASS
Butyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	250	PASS
Anisole	NMT 5000	<LOQ	ug/g	250	PASS

Microbiological Examination**Method Code: T005****Tested: 13SEP2023 | 1217**

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU/gram	Not Detected	CFU/gram	10 CFU/gram	PASS
Total Yeast & Mold	100,000 CFU/gram	Not Detected	CFU/gram	10 CFU/gram	PASS
Total Coliforms	10,000 CFU/gram	Not Detected	CFU/gram	10 CFU/gram	PASS
Escherichia coli	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS
Staphylococcus aureus	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS
Salmonella	Not Detected in 25 grams	Not Detected	N/A	1 CFU/25 grams	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/mL using a laboratory measured density of 1.150 g/mL. T301 performed by a registered outsourcing facility. T301 result, unit, and LOQ converted from ug/g to ug/day using a maximum permitted daily exposure of 5.0 g/day.

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:



Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

20SEP2023